Procure



Powered By Choice, Driven By You.

Christie CP2000 ZX









Brief Introduction
Beta 2.5

A brief introduction to the CP2000 ZX: The Christie E-Cinema DLP projector offers 17000 Ansi-Lumen, a contrast of 2000:1 and a HD2K 2048 x 1080 resolution. Due to the lamp, the projector is specified with 3500 hours of lamp life, which is over 4.8 years with a daily viewing time of 2 hours. The projector can illuminate a picture width of up to 1135 cm thanks to its 17000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 757 cm is recommended. On the market since 2008, the model is no longer offered by the manufacturer Christie, but is still very popular in our projector database.

3 x 1,2" DLP Chip

ω 5667 Lux (bei 200 cm Screen)

2000:1 full on/off 2,838 min. Lumen

Display Type

Ansi-Lumen

Black Level

Contrast

0

HD2K 4/3 Ti Digital Light Processing Chip

17000 / 9000 mit 2KW Lampe

୍ରିଟ 2000:1 full on/off ପ୍ର 8,5000 min. Lumen

Offset -

Resolution HD2K 2048 x 1080 2.211.840 Pixel

Video Modes -

Application E-Cinema | Digital Cinema (D-Cinema) in the movie theater.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source 2KW, 3KW Xenon Lamp Articel Nr.: 003-000598-02

Light Life 3500 h.

Operating Costs -

Focus Powered

Zoom Powered

Objective optional

Throw Ratio optional

Audio -


Connections 2 x DVI
Ceiling Mounting Yes
Power 7000W

Size WxHxD 660 x 510 x 1220 mm (26"x20,1"x48") 410,65 L/dm³

Operating Noise -

Weight 118,00 kg / 260,15 lbs.

Keystone -



Illumination 90%

Frequenz

Foot-Lamberts 526 fL / max. 1135 cm screen width

1802 cd/m²

■ Gamma correction

Features ■ Digital image shift

■ Password protection

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
5.5-8.5:1	5.5-8.5:1	11-17 m			Powered
4.3-6.0:1	4.3-6:1	8.6-12 m			Powered
2.2-3.0:1	2.2-3:1	4.4-6 m			Powered
1.8-2.4:1	1.8-2.4:1	3.6-4.8 m			Powered
1.45-1.8:1	1.45-1.8:1	2.9-3.6 m			Powered
1.25-1.45:1	1.25-1.45:1	2.5-2.9 m			Powered
Status	2008 Discontinued (EOL) // Last update of the data: 2023-08-04				

















Data







