Procure



Powered By Choice, Driven By You.

CHAT® 170 | CHATAttach® 170

USB Speakerphones with compatible Skype™ for Business



Group USB speakerphone, powered by ClearOne's market leading HDConference™ audio and fully compatible with Skype™ for Business, enhances any web conferencing, unified communications and video conferencing experience in your personal workspace, huddle rooms, and small and medium-size conference rooms with crystal-clear audio for business class performance.

Acoustic intelligence

+ First-mic priority intelligently activates only the microphone closest to the person speaking, preventing the amplification of ambient noise and room reflections. Adaptive modeling continuously samples room acoustics for any changes

Fully Compatible with Skype for Business

+ CHAT 170, though fully-compatible with Skype for Business, it is also compatible with popular web conferencing, unified communications and video conferencing applications like Cisco WebEx[®], Citrix[®] GoToMeeting, ClearOne Spontania[™], Google Hangouts, Skype and more

HDConference® Audio

+ Distributed Echo Cancellation® and noise cancellation along with full-duplex performance and automatic level controls guarantee your conference calls to be natural with unmatched audio clarity free of any distractions

360-degree Coverage

+ Three built-in microphones array with 360-degree audio pick up up to 10 feet. Large loudspeakers for rich, clear conferencing and audio playback







CHAT® 170 | CHATAttach® 170

Components/Room Applications



CHAT 170 Unit



USB 2.0 Conn ection Cable Part # 830-156-200





Part # 800-156-253





CHATAttach Expansion Cable Packout

CHATAttach Packout for the CHAT 170







Ready to use out of the box

All the components you need to quickly get up and running, including cabling and Quick Start Guide.

CHATAttach Cable Part # 830-156-010L



Power Supply Part # 551-156-200



CHATAttach Part # 800-156-225

CHAT 170







CHATAttach 170



Configuration Software

Allows users to easily switch between devices; software applies optimized settings to CHAT 170 for each device. Auto-updates from the web to keep software & CHAT 170 up-to-date with the latest enhancements.

PRODUCT SPECIFICATIONS

System Requirements:

Microsoft Windows 7, 8, 10 (For any firmware upgrades, use Win7)

Mac OS

Skype: 1GHz CPU, 256MB RAM

Connections:

USB:

Version 2.0 Compatible Type: Mini-B Female

Keyed Connector: Keyed RJ-45 (8-conductor)

Controls:

Volume Up

Volume Down

Microphone Mute

Audio:

Speaker:

Bandwidth: 190 Hz - 20 kHz

Max Output Level: 85 dB SPL @ 1 foot (0.30 meter)

Microphone:

Bandwidth: 50 Hz - 7.75 kHz

Environmental:

Operating Temperature: 41 - 104° F (5 - 40° C) **Storage Temperature:** 32 - 158° F (0 - 70° C)

Processing:

Full Duplex

Distributed Echo Cancellation (D.E.C.)®

Noise Cancellation (NC)

Automatic Level Control (ALC)

Line Echo Cancellation (LEC) - Selectable

First-Mic Priority

Power:

USB:

5 VDC @ 500 mA Maximum

External:

Input: 100 - 240 VAC Output: 9 VDC @ 560 mA

Tip: Power Ring: Ground

Mechanical:

Dimensions (W x D x H):

7.4" x 7.4" x 1.8" (18.8 cm x 18.8 cm x 4.6 cm)

Weight:

1.17 lbs (0.53 kg)

Compliance:

RoHS

REACH

FCC Class A Part 15

ICES-003

CE Listed

UL Listed

Model Numbers:

910-156-256 CHAT 170:

Single CHAT 170 and Connecting Cable

910-156-256-00 CHATAttach 170:

Two (2) CHAT 170 Devices, Connecting Cables and

Power Supply

Accessory Part Numbers:

910-156-225 CHATAttach Expansion Kit:

Includes Cables, Power Supply and Quick-Start Guide to Update Two (2) CHAT 170 Devices to

CHATAttach