# Procure



Powered By Choice, Driven By You.



Portable USB speakerphone, powered by ClearOne's market leading HDConference™ audio and fully compatible with Skype for Business, enhances any web conferencing, unified communications and video conferencing experience in your personal workspace and huddle room with crystal-clear audio for business-class performance.

# Crisp, Clear Audio

+ Distributed Echo Cancellation® and noise cancellation along with full-duplex performance and automatic level controls guarantee your conference calls to be natural with unmatched audio clarity without any distractions

# **Multi-device Compatibility**

+ CHAT 50 is versatile for use with your PC and mobile phones and your enterprise telephones to experience crystalclear HDConference audio using your convenience device with hands-free comfort

# **Complete Portability**

+ Sleek enough for professional office environment, yet rugged enough to toss in your bag and take on the road. Powered through USB, CHAT 70-U is truly plugand-play compact device. Perfect for use at your desktop, home office, executive office, huddle space or during your travel

# **Multiple Uses**

- + Provides high-quality speakerphone capabilities on PCs or laptops
  - ➤ Compatible with Skype<sup>™</sup> for Business

  - Incoming calls ring on the CHAT 70-U
    New call control with volume up/down and mute control buttons
- + Works on Skype, Cisco® softphone, GotoMeeting™, Spontania™ and other popular audio applications
- + Hands-free flexibility and comfort
- + Replaces PC speakers and microphone with highquality audio
- + Sleek, compact, and portable design
- + True plug-and-play capability



#### **VENUES**

Internet Telephony

**Enterprise Telephones** 

VoIP Softphones

Cell Phones

Web Conferencing

Instant Messager

Desktop Video Conferencing

Audio Playback

Traveling Professionals





# CHAT® 70-U Components/Back Panel









# PRODUCT SPECIFICATIONS

#### **System Requirements**

Microsoft Windows 7,8,10 (For any firmware upgrades, use Win7)

Mac OS

#### Connections

**USB** connector

Version 2.0 compatible

Type: Mini B Female

# **Controls**

Call Control (Hook)

Volume up

Volume down

Microphone mute

## Speaker

Bandwidth: 220Hz - 14kHz

MAX Output Level:

80dB SPL @ 1 foot (0.30 m)

# Microphone

Bandwidth: 220Hz - 10kHz

# **Audio Signal Processing**

Full-duplex

Acoustic Echo Cancellation (AEC)

Noise Cancellation (NC)

Automatic Gain Control (AGC)

#### Power

**USB-powered** 

5 VDC @ 500mA Maximum

## **Environmental**

Operating Temperature: 41-104° F (5-40° C)

Storage Temperature: 32-158° (0-70° C)

#### Mechanical

Dimensions: (W x D x H): 3.8" x 4.1" x 1.8" (9.7 cm x 10.4 cm x 4.6 cm)

#### Weight:

0.55 lbs. (0.25 kg)

#### Compliance

FCC Class B Part 15

REACH

ICES-003

U/L Listed

**CE Listed** 

RoHS

### **Part Number**

910-159-257 CHAT 70-U