

# Procure



**Powered By Choice,  
Driven By You.**

# Elmo OX-1 Specs

## Sensor

|                        |                                             |
|------------------------|---------------------------------------------|
| Sensor                 | 1/3.2" CMOS                                 |
| Sensor Resolution      | Effective: 8 Megapixel                      |
| Aperture               | f/2.0                                       |
| Frame Rate             | 1920 x 1080 @ 15 fps<br>1280 x 720 @ 30 fps |
| Effective Pixels       | 3280 x 2464 (4:3)                           |
| Output Resolution      | 1920 x 1080<br>1280 x 720                   |
| Minimum Focus Distance | 3.9" / 100.0 mm                             |

## General

|                                  |                               |
|----------------------------------|-------------------------------|
| Capture Area                     | 16.93 x 12.68" / 43 x 32.2 cm |
| I/O Connections                  | <b>1 x</b> USB Type-B USB 2.0 |
| Media Card Slots                 | <i>None</i>                   |
| Horizontal Resolution (TV Lines) | 1000 TVL                      |
| Annotation                       | Yes                           |

## Adjustments

---

|              |       |
|--------------|-------|
| Aspect Ratio | 16:9  |
|              | 16:10 |
|              | 4:3   |

---

|                |      |
|----------------|------|
| Image Rotation | 180° |
|----------------|------|

---

## Convenience

---

|                       |         |
|-----------------------|---------|
| Built-In LED Lighting | 1 (Arm) |
|-----------------------|---------|

---

|              |     |
|--------------|-----|
| Built-In Mic | Yes |
|--------------|-----|

---

|             |              |
|-------------|--------------|
| Focus Modes | Auto, Manual |
|-------------|--------------|

---

|                |              |
|----------------|--------------|
| Exposure Modes | Auto, Manual |
|----------------|--------------|

---

|               |              |
|---------------|--------------|
| White Balance | Auto, Manual |
|---------------|--------------|

---

|                          |     |
|--------------------------|-----|
| Whiteboard Compatibility | Yes |
|--------------------------|-----|

---

## Compatibility

---

|                          |                                        |
|--------------------------|----------------------------------------|
| Operating System Support | Android, ChromeOS, Windows, macOS/OS X |
|--------------------------|----------------------------------------|

---

## Electrical

---

|              |                      |
|--------------|----------------------|
| Power Source | USB Bus-Powered Port |
|--------------|----------------------|

---

|                   |       |
|-------------------|-------|
| Power Consumption | 2.5 W |
|-------------------|-------|

---

---

|                |       |
|----------------|-------|
| DC Input Power | 5 VDC |
|----------------|-------|

---

## Environmental

---

|                       |                         |
|-----------------------|-------------------------|
| Operating Temperature | 32 to 104°F / 0 to 40°C |
|-----------------------|-------------------------|

---

|                    |           |
|--------------------|-----------|
| Operating Humidity | 30 to 85% |
|--------------------|-----------|

---

## Physical

---

|            |                                                                                                                |
|------------|----------------------------------------------------------------------------------------------------------------|
| Dimensions | 13.3 x 4.3 x 2.1" / 337.0 x 108.0 x 54.0 mm (Folded)<br>14.8 x 12.5 x 4.3" / 375.0 x 317.0 x 108.0 mm (In-Use) |
|------------|----------------------------------------------------------------------------------------------------------------|

---

|        |                 |
|--------|-----------------|
| Weight | 1.39 lb / 630 g |
|--------|-----------------|

---