

Building a Fully Connected, Intelligent World

HUAWEI IdeaHub B2 New Style Smart Office

HD cloud meetings | Intelligent whiteboard | Enterprise-class security



Copyright © Huawei Technologies Co., Ltd. 2022. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without the prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions

HUAWEI, **HUAWEI**, and **w** are trademarks or trade names of Huawei Technologies Co., Ltd. All other trademarks, product names, service names, and company names mentioned in this document are the property of their respective holders.

Disclaimer

The technical specifications described in this document include but are not limited to parameters and performance indicators and vary depending on the actual release. This document does not constitute a warranty of any kind, expressed or implied. Huawei may update relevant information from time to time. Huawei reserves the right to update or correct the information about related products or solutions. Updates are described in detail in the latest release notes or introduction.


Huawei Technologies Co., Ltd. Huawei Industrial Base, Bantian, Longgang Tel: +86 755 28780808 Postal code: 518129 www.huawei.com

Updated: September 2022

HUAWEI IdeaHub B2

HUAWEI IdeaHub B2 is the next-generation intelligent meeting panel that delivers HD cloud conferencing. With dual Wi-Fi design and an optical anti-blue light feature, it offers an upgraded projection and writing experience perfect for multiple office environments, including meeting rooms, manager offices, and open office areas.





All-in-One Design



4K soft light screen and optical anti-blue light

Ambient light adaptation for optimal eye comfort



Centralized front panel ports

NFC, USB Type-C, USB 3.0, and power button



Integrated design

4K camera, microphones, and speakers



Advanced stylus pen

Anti-slip surface, anti-wear material, and magnetic attachment for smooth writing



Integrated design with ultra-narrow frame

Seamless zero-gap bonding and aerospace-grade nano coating



Dual-system one-tap switchover

Plug-free design



TÜV Rheinland Low Blue Light Certification
TÜV Rheinland Eye Comfort Certification

^{*} Product pictures and display content in this document are for reference only. Actual product specifications and display content (including but not limited to backgrounds, interfaces, and illustrations) may vary.

HD Cloud Conferencing

Enjoy simple, stable HD meetings with a fully-immersive video conferencing experience.



Professional-grade 4K video camera

(ικ)) 4K 1.5 μm image sensor Low-noise and true-to-life images $\begin{tabular}{ll} \hline \end{tabular} \begin{tabular}{ll} Huawei-developed imaging algorithm \\ \hline \end{tabular}$

TV distortion < 2% for natural images

Tirculating heat dissipation design

Consistent resolution even after long meetings



3D sound field for cinematic sound experience

550 cm3 ultra-large speaker | Max. 95 dB sound pressure level



Clear sound pickup at a long distance

Six-microphone array | 10-meter sound pickup



Dual Wi-Fi Design for Fast, Stable Projection

Dual Wi-Fi modules ensure no interference between internet connection and projection, USB Type-C driver-free projection for HD sharing, and reverse control for easier page turning and annotation.



Privacy protection¹



Reverse control²

More projection methods



IdeaShare Key³



IdeaShare APP



USB Type-C and HDMI cables



NFC/Wireless projection from drop-down⁴



[1] NFC projection on a Huawei phone will only display notifications on your phone by default, including incoming calls, messages, and alarms.

[2] Reverse control on the IdeaHub is supported when projecting using the Type-C/HDMI cable, IdeaShare Key, IdeaShare app on a computer, and NFC/drop-down menu on a Huawei Phone.

[3] IdeaShare Key (USB Type-A) is compatible with Windows 7, macOS 10.13.6, and later versions; IdeaShare Key (USB Type-C) will be supported in later versions.

[4] Huawei phones support projection using the built-in NFC and the option from the drop-down menu. This feature is compatible with HUAWEI Mate 40 series phones running EMUI 11.0.0.135 or later, other Huawei phones running EMUI 11.0.0.150 or later, or phones running HarmonyOS 2.0.0. Upon the first use of the NFC projection, ensure that the IdeaHub can access the Internet.



Intelligent Whiteboard for Smooth Writing

25 ms low latency writing

Multiple strokes
Pencils and brushes

AI handwriting tracking

Intelligent writing¹

Converting your handwriting and drawings to digital forms

FØ Multiple thickness settings

Optional pen thickness and unlimited color choices

Annotation mode²

Insert snapshots in whiteboard to make annotations

Multi-touch gestures

Select, move, zoom and erase

Scan the QR code to take away whiteboard content

🙇 Co-authoring

Two people can write on the whiteboard concurrently

τνιο ρεορίε ε

Note:

[1] The intelligent writing recognition supports recognition of Chinese, English, and 11 types of graphics.

[2] On the third-party app or web interface, tap Toolbar > Annotation at the bottom to make annotations. You can share and save the annotations.

3] Multiple methods are supported to scan the QR code to take the content away, including browser and self-built server

* Product pictures and display content in this document are for reference only. Actual product specifications and display content (including but not limited to backgrounds, interfaces, and illustrations) may vary.



The IdeaHub B2 has pre-installed office apps and dedicated IdeaHub app section; collaborating with various types of endpoints to achieve efficient cross-device collaboration.

Multi-Device Collaboration and Smart Office Ecosystem

Customizable HiBoard and Bulletin Board

User-defined interfaces for infinite possibilities





Bulletin Board for Enterprise Marketing

- Unified management and scheduled push based on regions and organizations
- Up to 50 images can be played in turn

HiBoard as a Welcome Page

- Multiple templates for the welcome page with one touch to display
- Supports image import and search for efficient management



IdeaManager

Intelligent, cost-efficient O&M



Remote management of multiple devices

Basic device configuration and remote OTA updates



Optimized overall monitoring

Device application usage statistics and fault inspection



Automatic diagnosis using IdeaCare app

One-tap diagnosis of typical faults and remote assistance from professionals

Enterprise-Class Security


Comprehensive information security protection

Cloud-pipe-device-chip full-link protection **CCRC EAL2+** system security certification





All-Scenario Smart Office Ecosystem



Regular meeting room

Local workshop, remote meeting, and business meeting

HD cloud conferencing | Dual Wi-Fi projection | Bidirectional collaboration | Intelligent whiteboard

Exhibition and demonstration

Corporate culture display, welcome board, and activity promotions 4K display | HiBoard | Bulletin board | Aesthetic design

Open working area

Informal meeting, instant discussion, and team-building meeting
Rolling stand | Low-latency writing | Multi-gesture erasing | Scan to take away



Multi-purpose training room

Group discussion, employee development, simulation training, and live training Screen sharing | Group projection | Co-authoring | Dynamic annotation

Executive office

Remote interview, employee debriefing, and CXO business meetings Aesthetic design | NFC | Privacy protection | IdeaHub Controller

Study room

Remote working and hybrid learning
4K display | Low writing latency | Massive applications | 3D stereo sound

Technical Specifications

30W

HUAWEI IdeaHub B2 **Product Name** Model 65": IHB2-65PU 75": IHB2- 75PU 86": IHB2-86PU Product dimensions (H x W x D) 65": 1484.5mm × 91.6mm × 916.1mm 75": 1705.7mm × 91.8mm × 1040.5mm 86": 1953.0mm × 91.8mm × 1180.6mm Package dimensions (H x W x D) 65": 1650mm × 220mm × 1050mm 75": 1900mm × 220mm × 1170mm 86": 2090mm × 250mm × 1300mm Jade white Note: Actual dimensions may vary depending on the configuration, manufacturing process, and measurement method.

Component		
Device	Stylus pen	Cable
1	2	Power cable x 1
Rolling stand*	Wall-mounted bracket*	IdeaShare Key
Optional (65", 75", and 86")	Optional (65", 75", and 86")	Optional
OPS		
Optional (i5/i7)		

Optional (i5/i7)			
Note: VESA mounting sizes are M8 \times 25 mm (600 mm \times 400 mm for 65", 800 mm \times 400 mm for 75"/86")			
Screen			
Resolution	Backlight type	Screen lamination	
4K UHD (3840 x 2160)	D-LED	Zero-gap bonding	
Viewing angle	Color depth	Color gamut	
178°	10bit (8bit +FRC)	85% NTSC (typical value)	
Screen refresh rate	Number of touch points		
60Hz	20		
Camera			
Zoom	Maximum angle of view	Video output resolution	
2 x digital zoom	Horizontal: 80°/Vertical: 50°	4K	
TV distortion	Aperture		
<2%	F1.8		
Speaker			
Frequency domain	Speaker unit	Stereo	
100Hz- 20kHz	2 x full frequency speaker + 2 x high-frequency speaker	$\sqrt{}$	
Maximum power			

Microphone			
Sound pickup angle	Quantity	Frequency domain	
180°	6	100Hz-20kHz	
Sound pickup distance			
10m			
Wireless Connection			
Dual-Wi-Fi module	Frequency		
\checkmark	2.4GHz + 5GHz		
System			
CPU	RAM	Flash	
4Core	4GB	32GB ¹	
os			
Android 9.0/Windows 10 ²			
	Note: 1. The available storage will be less than the stated value as pre-installed software takes up a certain amount of space. 2. To use Windows 10, an OPS plug-in computer is required.		
Interface	, , , ,		
Front-panel ports	Side-panel ports		
USB Type-C x 1 USB Type-A 3.0 x 2	USB Type-A 3.0 x 1 USB Type-B x 1 HDMI IN x 2 HDMI OUT x 1 COM port x 1	RJ45 network port x 1 80-pin OPS port x 1 3.5mm Line-in x 1 3.5mm Line-out x 1	
Meeting			
Third-party cloud meeting app			
\checkmark			
Projection	Projection		
Projection mode	Projection effect	Supported OS on clients	
IdeaShare projection code HDMI, USB Type-C wired projection IdeaShare Key NFC/projection through the drop-down menu	Wireless projection: up to 4K 30 fps Wired projection: up to 4K 60 fps	Android / Windows / iOS / macOS	
annotate during projection Reverse control			
\checkmark	\checkmark		
Writing			
Writing latency	Precision	Intelligent writing recognition	
≤25ms	±1mm	$\sqrt{}$	
Whiteboard saving mode	Touch sensing distance		
OD and accoming /Francil /I and above as /I ICD flools drive	<1 F		

17

QR code scanning/Email/Local storage/USB flash drive ≤1.5mm