

Procure



ONESCREEN T6 - 65"

ONESCREEN FOR BUSINESS - ELEVATE
YOUR TEAM'S POTENTIAL.

THE INTERACTIVE TOUCHSCREEN HUBWARE 6 IS AN ALL-IN-ONE SOLUTION FOR YOU TO CREATE THE PERFECT IMMERSIVE AND ACTIVE LEARNING EXPERIENCE FOR YOUR STUDENTS. YOU CAN ELEVATE PRODUCTIVITY AND FOSTER COLLABORATION THROUGH OUR DIGITAL WHITEBOARD, TWO-WAY WIRELESS PROJECTION OF EXTERNAL DEVICES AND INNOVATIVE ENGAGEMENT TOOLS.

65"



OneScreen Hubware 6

Increase the potential of every meeting.

Simple Tools & Apps



- Write, stream, screen share
- Record, save, send
- Include anyone, anytime

Ultra Compatible

- Use your apps & devices or ours
- Supports practically all BYOD devices
- Instantaneous wireless connection

Affordable Innovation

- Plug-and-play, quick install
- Low cost of ownership
- Comes with its own help & training service





Free, unlimited
help & training

Presenting, training, brainstorming, videoconferencing, reporting, selling, editing, strategizing, updating... you name it. All in one smart screen.

Hardware	
Model Sizes	55", 65", 75", 86", 98"
OPS PC	Intel i5 7th Gen, H170, Graphic Card Intel HD 630, DDR4 2400 8G PC-3-12800 CL11/ADATA DDR4 2666 MHz 8G, 256 GB SSD, Realtek 8111H, WiFi AW-CB304NF 2.4/5G /Bluetooth(dual WIFI antenna) 150Mbps Bluetooth 4.2, Net Weight 1.5KG, Certs CE,CB,ROHS, Linux/Win7/Win8/win10
OPS Inputs/Outputs	6x USB 3.0 Type A, 2x USB 2.0 Type A, 1x RJ45 10/100/1000M, 1x HDMI1.4 out, Max.4K/30Hz, 1x VGA out, 1x 3.5mm Line out, 1x 3.5mm Mic, 2x WIFI/BT ANT, 1x Power button, 1x RESET button, 1x Clr CMOS button, Audio Realtek ALC662, 1x HDMI2.0, 4K@60Hz 2x USB2.0, 1x USB3.0, Power 12V/19V 90W
OneScreen Web Camera	1080p full HD with ultra-wide field of view, built-in microphone with 12" range, CMOS sensor, 2D/3D noise reduction
Wireless Keyboard, Mouse	Full size Logitech wireless keyboard with touchpad, 33 ft. wireless range
Software & Services	
Cloud-based Services*	
Video Conferencing	OneScreen Hype video conferencing with screen sharing, recording, translation/transcription & more
Centralized Control	OneScreen Central is centralized screen control, emergency notification, software upgrades & more
Applications	
Interactive Whiteboard	OneScreen Annotate is Interactive whiteboard and annotation software, perpetual license
Screen Share & Stream	EShare software, multi-device screen share & streaming
Annotation	OneScreen Write software, write on any content, save, transfer via QR code or email
Tools Navigation	OneScreen Navigate is for centralized & customizable product navigation from a home screen
Android Applications	Full access to Android Apps including Chorme, YouTube, Office Apps and more
Google Play Store	Full access to Google play store with multi-user login support
Help & Training	
Free Help & Training	Unlimited Screen Skills Guru help & training available in one click on video or by chat, phone or email

*First year of subscriptions to all cloud-based services included

Interactive Display	
Panel Size	65"
Screen Type	LG
Resolution	3840(H) × 2160 (V)
Refresh Rate	60 Hz
Pixel Pitch	0.372mm x 0.372mm
Brightness	400+ cd/m2
Display Colors	1.06Billion colors
Viewing Angle	R/L 178 ° (Min.), U/D 176 ° (Min.)
Android Processor	Version 8.0, Cortex A73 x2, A53 x2, Mali G51MP2, 64G EMMC5.1, 3GB DDR4
DOLBY Sound & Speakers	2x 16W Built-in Left/Right Speakers with balance, automatic volume control, surround sound, fiber optic mode, the equalizer
Surface Protection	8 MOHS strength, anti-glare glass
Input & Output	Inputs: 3x HDMI (2.0), 1x VGA, 1x VGA Audio, 1x Microphone (3.5mm), 1x DP, 2x Touch USB, 1x TF/SD Card, 1x RJ-45 Outputs: 1x HDMI (Optional), 1x Headphone (3.5mm) Connectivity: 1x RS232, 1x RJ45, 2x USB (Front), 3x USB (Rear), 1x Wifi (2.4G/5G + 5G Hotspot) Dual-band
IR Touch	20x Touch points, Touch accuracy 3mm, Annotation over any source, Response time ≥ 2.5 m/s, Palm Detection, Pen and touch differentiation, Compatibility (Windows 10/8/7/XP/ Linux/Mac/ Android 8.0/Chrome)
Certifications	Certified for Energy Star, FCC (Federal Communications Commission), UL (Underwriter Laboratories), CE (European Conformance)
Power Supply	AC 100-240V, 60/50 HZ, Power Rate ≤200W, Standby ≤0.5W
Other Features	Supports auto turn-off, sleep timer, multiple user profiles, HDCP 2.2 (HDMI) and dual-mode USB (OPS and Android)

Accessories, Dimensions & Weight	
Wall Mount	VESA standard 500 x 400, flush wall mount provided
Remote Controls	Remote Control x1 for display menu, sleep, source
Cables and Stylus	1x HDMI Cable, 1x US Power Cable, 1x USB Touch Cable, 2x Pens, 1x Extendable pen
Advanced HW Replacement Warranty	Available at time of purchase only
Product Dimensions	58.5" x 35.8" x 3.5"
Product Weight	88.2 lbs
Shipping Dimensions	65.5" x 40.8" x 9.6"
Shipping Weight*	119 lbs