

Procure



**Powered By Choice,
Driven By You.**

RESOLUTION 854 x 480	THROW RATIO 1.2
THROW DISTANCE 40 in / 1.0 m	BRIGHTNESS (LUMENS) 250

DISPLAY	
TYPE DLP LED	RESOLUTION TYPE WVGA (854x480)
RESOLUTION 854 x 480	BRIGHTNESS (LUMENS) 250
DISPLAY SIZE (IN.) 24 - 100 in. / 0.6 - 2.54 m	THROW DISTANCE 40 in / 1.0 m
THROW RATIO 1.2	KEYSTONE Vertical (+/- 40°)
LENS Fixed Zoom	LIGHT SOURCE LIFE, NORMAL (HOURS) 30000
COLOR DEPTH 1.07B Color (R/G/B 10bit)	DYNAMIC CONTRAST RATIO 120,000:1
ASPECT RATIO 16:9	

VIDEO SIGNAL	
FREQUENCY HORIZONTAL 15h~135kHz	FREQUENCY VERTICAL 23~120Hz

COMPATIBILITY	
PC RESOLUTION (MAX) 1920 x 1080	PC RESOLUTION (MIN) 640 x 480
MAC® RESOLUTION (MAX) 1920 x 1080	MAC® RESOLUTION (MIN) 640 x 480

CONNECTOR	
USB 2.0 TYPE A 1	USB 3.1 TYPE C 1
CARD READER Micro SD	3.5MM AUDIO OUT 1
HDMI 1.4 1	

AUDIO	
INTERNAL SPEAKERS 3W (x2)	

POWER	
VOLTAGE 100-240 VAC	CONSUMPTION (TYPICAL) 55W
STAND-BY <0.5W	

CONTROLS	
PHYSICAL CONTROLS Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source	ON SCREEN DISPLAY Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)

OPERATING CONDITIONS	
TEMPERATURE 32-104° F (0 - 40° C)	HUMIDITY (NON-CONDENSING) 0-90%

WEIGHT (IMPERIAL)	
NET (LBS) 1.7	GROSS (LBS) 3.7

WEIGHT (METRIC)

NET (KG)	GROSS (KG)
0.8	1.7

DIMENSIONS (IMPERIAL) (WXHxD)

PACKAGING (IN.)	PHYSICAL (IN.)
16.0 x 9.2 x 15.0	5.7 x 1.6 x 5.0

DIMENSIONS (METRIC) (WXHxD)

PACKAGING (MM)	PHYSICAL (MM)
406.0 x 233.0 x 380.0	146.0 x 40.0 x 126.0

GENERAL

REGULATIONS FCC, cTUVus, ROHS, TUV-S, NOM, UL2054	PACKAGE CONTENTS M1 Projector, Power Cable, USB Type C Cable, Remote Control, Projector Case, Quick Start Guide
WARRANTY Three-year limited warranty on parts and labor, 1-year limited warranty on the light source, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).	RECYCLE/DISPOSAL Please dispose of in accordance with local, state or federal laws.

DIMENSIONS

5.8 x 1.6 x 5.0 in / 148.0 x 40.5 x 126.0 mm





Projection Lens IR Remote Sensor 360° Smart Stand Focus Ring Micro SD DC In USB Type C HDMI 1.4
 3.5mm Audio Out USB Type A Menu Controls Harman Kardon Speakers