

Procure



**Powered By Choice,
Driven By You.**

LightStream™ 3,300 Lumens SVGA Projector



The ViewSonic LightStream™ Projector PJD5151, the best price-performance projector, is designed with elegant style and impressive image performance. This sleek projector makes a big statement with its elegant curves and light beam shape. It's thoughtful design, which includes a tactile keypad, instructional icons, and son on, also presents an intuitive and user-friendly interface. Exclusive SuperColor™ technology offers a 6-Segment Color Wheel - 15%+ color brightness, for true-to-life image projection. The 3,300-lumen lamp with a 22,000:1 contrast ratio is for clearer and brighter images. From small meeting rooms to small classrooms, LightStream™ Projector PJD5151 projects full brightness and colors. It also supports 2 x VGA input, Mini USB and RS232 control ports.

- SVGA 800 x 600 DLP projector Up to 3,300 ANSI lumen brightness and 22,000:1 contrast ratio
- SuperColor™ technology with 15%+ color brightness delivers superior, richer, true-to-life colors
- Smart restart, auto power on/off and quick power off without waiting
- Smart remote control with mouse function, My button for hotkey, 1-to-8 projector code control, etc.
- Flexible setup options include Keystone and 5 color modes

SuperColor™ : Best in Class Color Accuracy

ViewSonic's proprietary SuperColor™ Technology offers a wider color range than conventional DLP projectors for true-to-life color performance in any light. SuperColor™ 6-Segment Color Wheel

maximizes brightness Increased by 15% or more with the highest color saturation over others in the same class.



Smart Restart Instant reactivation during presentation

With Smart Restart, the projector automatically enters a 3-minute standby mode when it is idle and turns down the projection to a power-saving 30% brightness. During standby mode, you can quickly and conveniently reactivate the projector for continued use without waiting for a complete power cycle.



Auto Power On Instant activation upon signal connection

With Auto Power On enabled, once a VGA or HDMI cable is connected and signal detected, LightStream™ projectors will power on automatically with effortless start-up.



Auto Power Off

Power Saving: Every Time When no signal is detected, the projector will automatically power off after a user-defined amount of time – another feature to save electricity cost, reduce energy consumption and extend the life of the projector.

Sleep Timer: Every Day Forgetting to shut off projectors is a common occurrence, particularly in public classrooms or meeting rooms. The sleep timer allows administrators to set up a timer to shut down the projector after a period of inactivity.



Quick Power Off Leave without the wait

Quick shut down in seconds because of smart electric and lamp designs are time-saving improvements that lead towards efficiency and energy savings.



Mouse-Like Control Handy operation

Mouse left and right-click buttons are provided on the remote control so users can use a single remote control to navigate through presentation slides or control the connected PC.



“My Button” Setup your favorite hotkey

Finding a function on a remote control or through the on-screen menu can be time-consuming. The “My Button” button on the remote control is a programmable shortcut button that can be user-programmed to launch a commonly used or desired function.



My Button

Keystone Distorted image correction

The PJD5151 can correct and adjust vertical distorted images into a more symmetric shape.



Color Mode Best view modes

Providing 5 view modes for different scenarios, users can choose one fit mode at once for best view according to the projection environment. These 5 modes are:

- Brightest Mode for environments where extra-high brightness is required
- Dynamic Mode for presentations under daylight environment and text content
- Standard Mode for matching PC or NB color
- ViewMatch Mode for general viewing
- Movie Mode for watching movies with better saturation in a dark environment

Normal



ViewMatch® Color Mode




Top Lamp Door

The thoughtfully designed lamp door makes lamp maintenance and replacement easy. Located at the top of the projector, there's no need to dismantle the projector, even if it's hanging from the ceiling, to access the lamp. This user-friendly design saves time and effort for maintenance personnel in businesses and schools, and is easy enough that just about anyone can do it.



Presenter Timer Reminder for time management

An embedded on-screen timer assists presenters to manage their times to avoid presentation overruns that cause potential delays during scheduled sessions.




Tactile Keypads

Tactile Keypads reflect LightStream™ Projectors' detailed design to the most LightStream™ Projectors' tactile keypad is raised with concave buttons that assist in making projector set up easier in dark environments without illumination. Also, Touching and feeling the non-flat keypads can be also interesting.



Patterns and Templates World's first projector-embedded teaching tools

Patterns are built-in templates such as tables, grids, worksheets, and charts on which teachers and students can draw when using an interactive projection. The results are fast illustrations with straight lines every time.



3D Ready / 120Hz Refresh Rate Powered by DLP® Link Technology Exciting 3D visual effects

With support for DLP® Link technology, you'll have amazing 3D capabilities at your disposal. All that's required to unlock 3D capabilities on the ViewSonic LightStream™ 3D-ready projectors are ViewSonic 3D active shutter glasses, 3D content, and a 3D-enabled video card. Unleash a vivid 3D experience with the ViewSonic LightStream™ projectors today.



Technical Specifications

PRODUCT SPECIFICATION		
Resolution		800(H) x 600(V)

Brightness (ANSI Lumens)	3300 lm
Contrast (Max.)	22,000:1
Lamp Hour (Normal / Sleep Mode)	5000/10000 hrs
Throw Ratio in Meters (Wide ~ Tele)	1.96 ~ 2.15
Optical Zoom	1.1x
Digital Zoom	0.8X~2.0X
Screen Size	30" ~300" Diagonal
Projection Offset	120%+/-5%
Display Colours	1.07 Billion Colors (30 bits per color)
Keystone	+/- 40° (Vertical)
Noise min (Normal / Eco)	32 dB / 27 dB
Speaker	N/A

INPUT

CONNECTIVITY

HDMI In	N/A
VGA-in	2
Component Input	1 (share with RGB)
S-Video	N/A
Composite Input	N/A
Audio-in (3.5mm)	N/A
Audio-in (RCA pair)	N/A
USB Type A	N/A
USB Type B	N/A
Mini USB	1
Microphone in (3.5mm)	N/A
SD Card reader	N/A

OUTPUT

CONNECTIVITY

VGA-out	N/A
Audio-out (3.5mm)	N/A

CONTROL

RS232 (9 pin)	1
Network Mangment (LAN cable)	N/A
12V Power Trigger	N/A

DIMENSIONS AND

POWER

Dimension (WxDxH)	316 mm (W) x 228mm (D) x 103.7 mm (H) 12.44" (W) x 8.98 " (D) x 4.08" (H)
Net Weight	4.85 lbs / 2.2kgs
Power Source	100~240Vac 50/60Hz (Auto Switching)
Power Consumption	260 W Max.

SUPPLIED

ACCESSORIES

Power cord	1
VGA cable	1

HDMI cable	N/A
Remote Control (with batteries)	1
Cable cover	N/A
Quick Start Guide & CD	1
Carry bag	N/A

LANGUAGES	On Screen Display	English, France, Spanish, Thai, Korea, Germany, Italian, Russian, Swedish, Dutch, Polish, Zech, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, 中文, 日本語, 印地語
------------------	-------------------	---

WARRANTY	**Warranty offered may differ from market to market
-----------------	---

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at **www.viewsoniceurope.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.