

Procure



**Powered By Choice,
Driven By You.**

3,300 Lumen XGA DLP Projector

PJD5254



ViewSonic LightStream™ PJD5254 offers an impressive audiovisual performance to improve presentations, ideal for use in educational and small business environments. Exclusive SuperColor™ technology offers a wider color range for true-to-life image projection, while SonicExpert® technology delivers improved sound quality. Packed with 3,300 lumens, native XGA 1024 x 768 resolution, and a 22,000:1 contrast ratio, this projector is guaranteed to reproduce the finest of details regardless of the ambient light level. The projector also features HDMI digital connectivity, supporting media-rich presentations. An energy-saving SuperEco feature reduces power consumption by up to 70%, and extends the lamp life by up to 10,000 hours. With advanced audiovisual features, flexible connectivity options, and an affordable price, the LightStream™ PJD5254 will help you present at your best.

Key Features:

- SuperColor™: Best in Class Color Accuracy
- Bright Images for Any Environment
- 3D Blu-Ray Ready HDMI
- A Fine-Tuned Viewing Experience
- Multi-tonal Projector Screen Application

Designed for:

- Business
- Education

3,300 Lumen XGA DLP Projector

PJD5254

Specifications

PRODUCT SPECIFICATION	Resolution	1024x768
	Brightness (ANSI Lumens)	3300lm
	Contrast (Max.)	22000: 1
	Lamp Hour (Normal / Sleep Mode)	5000hrs / 10000hrs
	Throw Ratio in Meters (Wide ~ Tele)	1.96 ~2.15
	Optical Zoom	1.1x
	Digital Zoom	0.8x~2.0x
	Screen Size	30"~300"
	Projection Offset	120%±5%
	Display Colours	1.07 Billion Colors (30 bits per color)
	Keystone	+/- 40° (Vertical)
	Noise min (Normal / Eco)	27dB
	Speaker	2 W Cube x 1
	HDMI In	1.4a x1
INPUT CONNECTIVITY	Component Input	x1 (share with RGB)
	Audio-in (3.5mm)	x1
	Mini USB	x1 (FW Upgrade, mouse control)
	Audio Out (3.5mm)	x1
OUTPUT CONNECTIVITY	RS232 (9 pin)	DB-9 x1 (Wired remote function)
	IR Connector	x1 (front end)
CONTROL	Dimension (WxDxH)	316 mm (W) x 228mm (D) x 103.7 mm (H)
		12.44" (W) x 8.98" (D) x 4.08" (H)
	Net Weight	4.85 lbs / 2.2kgs
	Power Source	100~240Vac 50/60Hz (Auto Switching)
DIMENSIONS AND POWER	Power Consumption	265 W Max.
		Power Cord x 1 / VGA Cable x 1 / Remote Control (with Batteries) x 1 / Quick Start Guide & CD x1
SUPPLIED ACCESSORIES		
LANGUAGES	On Screen Display	Total 22 languages
REGULATIONS		CB, TUV-GS, UL/cUL, FCC (including ICES-003), CE,C-Tick Mexico Energy test/Registration, EAC, UkrSEPRO/EMC DOC, UL COC, TUV-S Mark(Argentina), PSB, KCC, KC, SASO, CCC, PSE,VCCI, BIS WEEE, RoHS, REACH, SVHC, ErP
	Standard	