


Procure



**Powered By Choice,
Driven By You.**



万胜凯机械有限公司
WIDESKY MACHINERY CO.,LTD.

风冷冷水机 WATER CHILLER AIR COOLED

产品特点 FEATURES:

- 采用进口压缩机、水泵，超强制冷，使用寿命长。
- 高效率之蒸发器及冷凝器，热交换迅速。
- 不锈钢开放式水箱，清洗维护，方便快捷。
- 采用双压缩机设计，节能省电。安全保护及故障指示系统完善。
- 微电脑触摸式控制，控温精确、操作简单。
- 安全保护系统：总电源无熔丝断路器。
- 压缩机过载保护；循环泵过载保护。
- 逆相缺相保护；冷媒高低压保护。
- 冻结防止保护；故障指示灯及异常蜂鸣器警示。



Designed with imported compressor and water pump for ultra-powerful refrigeration, with prolonged service life; High-efficiency evaporator and condenser to ensure rapid thermal transfer;

Open-type stainless steel water tank, easy and fast to clean and maintain;

Double-compressor design to save energy and power;

Well-structured safety protection and trouble indication system;

Microcomputer touch-type control, accurate temperature control and simple operation.

Safety protection system: No fuse power circuit breaker compressor overload protection.

Circulating pump overload protection.

Anti-phase and open phase protection High & Low pressure protection for refrigerant.

Freezing protection trouble indicator and abnormality buzzer alarm.

技术参数 SPECIFICATIONS

MODEL 型号	FSC-03A	FSC-05A	FSC-08A	FSC-10A	FSC-15A	FSC-20A	FSC-30A	FSC-50A
Cooling Capacity (WATTS)	8250	11324	20540	28400	43100	58600	86200	139400
冷冻能力 (KCAL/H)	7308	9740	19480	24444	37094	50362	74189	119952
Refrigerant Type 冷媒	R22/R407/R134							
Compressor Motor (KW)	2.2	3.3	6	7.5	11.25	15	22.5	37.5
压缩机功率 (HP)	3	4.5	8	10	15	20	30	50
Condenser Water Flow (CHM)	2390	3900	7800	9200	12600	18900	23400	39000
Fan Dia Φ * pcs 风扇直径 (MM)	300*2	400*2	450*2	500*2	500*3	500*4	500*6	500*10
Voltage/phase 电压	220V-460V 3PHASE 50/60HZ							
Water Tank Capacity 水箱 (L)	65	65	140	220	380	500	520	800
Water Pump Motor (HP)	0.5	0.5	1	1	2	2	3	3.75
水泵电机功率 (KW)	0.37	0.37	0.75	0.75	1.5	1.5	2.2	5
Flow Rate 水流量 (L/MIN)	50-100	50-100	100-200	100-200	160-320	160-320	400-800	630-1200
Running Current 电流 (AMP)	6	9	13	15	27	38	58	95
Insulation Material 隔热料	发泡胶带、橡胶套管 POLY-FOAM TAPE RUBBERIZED TUBU INSULATION							
Dimension 尺寸 (MM)	1100*615*1080	1100*615*1080	1380*750*1450	1480*750*1450	1700*1100*1750	1800*1100*1750	1980*860*1950	2000*1150*2000
Net Weight 重量 (KG)	200	261	329	315	500	600	800	1150