IN75JTP-01

Datasheet IN75JTP-01

Features

Display

Size	75"
Backlight	Direct
Bonding	Optical Bonding
Display Area (mm)	1649 (w) x 927 (h)
Resolution	4K UHD, 3840 × 2160
Aspect Ratio	16:9
Brightness (nits)	400
Contrast Ratio	4000:1
Lifespan (max hours)	≥50,000**
Viewing Angle (H/V)	178 / 178
Refresh Rate (Hz)	60Hz
Glass Surface Treatment	Anti-glare, Tempered, Mohs 7, Anti-fingerprint Coating

Connectivity

Side Interface	Type-C (65W), 2x USB-A (Dual-Channel)
Rear Interface	2 x HDMI In, 2 x Touch USB-B, Type-C In, DP In, 2 x Public USB3.0 MIC In, SPDIF (Coaxial), HDMI Out, RJ45 In (1000m), RJ45 Out (1000m), Audio Out, Type-C Out, Android USB 2.0, TF Card
Wireless	Wi-Fi 6, Bluetooth 5.2
Control	RS232

Power

Power Supply (V)	100-240V~ 50/60Hz
Power Consumption (min/max)	≤480W
Standby	≤0.5W

Audio

Speaker	2×20W
Sub-woofer(Optional)	20W

Touch System

Touch Type	Capacitive Touch
Touch Points	20-points
Drawing	10-points
Response time (ms)	Single touch:<6ms, Dual touch:<10ms
Accuracy	±0.5mm
Minimum Touch Object	2mm

Embedded System

Operating System	Android 13 (upgradable)
Processor	A78 × 4 + A55×4
GPU	G57 MC5
RAM	8GB/16G DDR4
Storage	128GB/256GB
Camera (Optional)	13MP/48MP (8-mic array, voice tracking, 10m pick-up distance), echo elimination, noise suppression)

General

Unit Dimensions (mm/in)	1720×1054×101 / 68"x42"x4"
Packed Dimensions (mm/in)	1870×1151×217 /73.6"x45.3"x8.5"

Unit Weight (kg/lb)	59 / 130.1
Packed Weight (kg/lb)	73 / 160.9

Copyright © 2026, InFocus and its logo is a registered trademark of InFocus Corporation. Maxnerva Technology Services Limited is the licensee of the registered trademark. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted; all specifications are subject to change without notice. All images are for representation purposes only and may be simulated.