

# Procure



**Powered By Choice,  
Driven By You.**

## Key Features

- myViewBoard™ suite with whiteboard, wireless casting and remote device management
- Front-facing dual speakers for better engagement
- Pen-on-paper writing experience with Ultra Fine Touch Technology
- Quad Core CPU powered by Android 9.0 OS
- Low blue light certified



## Product Description

The ViewBoard® 32 series provides a comprehensive solution for schools and teachers looking to deliver more interactive and engaging lessons. The 4K UHD display features bonding technology for clearer colors and less glare. A 20-point touchscreen interface allows users to collaborate naturally either with a finger or one of the ViewBoard styluses. The built-in access to the myViewBoard suite brings together all of the hardware with a seamless software integration. The display also features Ultra Fine Touch Technology that delivers a paper-like writing experience with instant response and high accuracy, while dual-tip pen support allows you to simultaneously write or draw with two different colors. Users will also enjoy additional connectivity via the SmartPort™ USB and multi I/O ports, including HDMI/VGA, when looking to connect other devices for further classroom support. The included myViewBoard digital whiteboarding software combines enterprise-level security with cloud-based portability and annotation tools including simple, wireless casting capability with secure single sign-on, innovative collaboration tools, easy conversion of common files, and much more. Additionally, myViewBoard Manager offers a single-point management system capable of simultaneously controlling multiple displays.

**Visit Us**

[www.viewsonic.com](http://www.viewsonic.com)

**DISPLAY**

Panel Size:	75"
Panel Type:	TFT LCD Module with DLED Backlight
Display Area (mm):	1428.48(H) x 803.52 (V) (74.5" diagonal)
Aspect Ratio:	16:9
Resolution:	UHD 3840x2160(Pixels)
Colors:	1.07B colors (10bit)
Brightness:	350 nits (typ.)
Contrast Ratio:	4000:1
Response Time:	6.5ms
Viewing Angles:	H = 178, V = 178 typ.
Surface Treatment:	Anti-Glare
Orientation:	Landscape

**PLATFORM**

Processor:	ARM quad-core Cortex-A55
RAM:	2GB DDR4
Storage:	16GB

**TOUCH**

Type/ Tech:	Ultra Fine Touch Technology
Touch Point:	20 points touch, 2 points writing

**INPUT**

HDMI:	2.0 x2 (3840x2160 @60Hz)(HDMI2 port support ARC function)
RGB / VGA:	x1
Audio:	x1 (PC audio in)
RS232:	x1
OPS:	x1 (Optional Intel Standard OPS)
WiFi:	x1 (Optional VB-Wifi-002)

**OUTPUT**

Audio:	x1 (Earphone out)
--------	-------------------

**LAN**

RJ45:	x1
-------	----

**USB**

Type A:	USB2.0 Front x2 (SmartPort™ USB);Rear x2
Type B:	x1 for HDMI/VGA touch

**SPEAKERS**

10W x 2
---------

**TOP CAMERA PLATE**

Yes
-----

**EMBEDDED OS**

Android 9
-----------

**BUNDLE SOFTWARE**

Basic Annotation Software:	myViewBoard Whiteboard
Pro Annotation Software:	myViewBoard Whiteboard for Windows(Embedded in optional Windows Slot-in PC)
Wireless Presentation:	myViewBoard Display

**SPECIAL FEATURES**

All-in-one USB port (combine Windows/Android USB port; no need to distinguish them anymore):	(combine slot-in PC/Android/HDMI USB port) Front "SmartPort™ USB" to all channels.
Simple LAN sharing between IFP and slot-in device:	10/100M for Android & Slot-in PC
Light Sensor:	Yes

**POWER**

Voltage:	162-240VAC +/- 10%
Consumption:	Off: <0.5W

**ERGONOMICS**

Wall Mount (VESA® ):	600x400
----------------------	---------

**OPERATING CONDITIONS**

Temperature (° C):	0°C to 40°C
Humidity:	10% ~ 90% RH non-condensing

**DIMENSIONS (W X H X D)**

Physical (inch / mm):	1489×897×87 mm / 58.6×35.3×3.4 in
Packaging (inch / mm):	1628×208×1005 mm / 64×8.2×39.5 in

**WEIGHT**

Net (lb / kg):	38.3kg/84.4lb
Gross (lb / kg):	46.0kg/101.4lb

**REGULATIONS**

BIS, CB, CE
-------------

**PACKAGE CONTENTS**

1. Power cable (3 meters) / 2. Remote control / 3. USB cable (3 meters) / 4. Touch pen x 2 / 5. Quick start guide / 6. RS232 adapter / 7. Clamp x 5 / 8. Webcam plate / 9. Screw x 8 / 10. HDMI cable (3 meters)
--

**COMPATIBLE SLOT-IN PC**

VPC12-WPO
-----------